|  | •   | ,  | _, |     |  |   |                                   |   |  |  |  |
|--|---|--|----|-----|--|---|-----------------------------------|---|--|--|--|
|  |   | •  | •  |     |  | ATTY. DOCKET NO.<br>06137.0021.US02                     |                                   | application no. 09/181,601                                |  |  |  |
|  | FORM PTO-1449<br>INFORMATION DISCLOSURE STATEMENT   |  |    |     |  | APPLICANT: Stephen Anderson, et al.                     |                                   |   |  |  |  |
|  |   |  |    |     |  | FILING DATE: October 29, 199                            | 98                                | GROUP ART UNIT: 1643/65                                   |  |  |  |
| l  |   |  |    |     | OTHER (Including   | Author, Title, Date, Pertinent Pages, e                 | etc.)                             |   |  |  |  |
|  | P   | 2/50   | AA | 2 / |  |   |                                   | easurement for measurement rbons in isotopically enriched |  |  |  |
| Holm, et al., "Alignment of Three-Dimensional Protein Structures: Network Son Database Searching" Methods Enzymol. 266: 653-62 (1996).   |   |  |    |     |  |   |                                   |   |  |  |  |
|  | JOL "   | , CE <b>7</b>  |    | 2 / |  |   |                                   |   |  |  |  |
| Holm, et al., "Mapping the Protein Universe" Science 273: 595-603 (1   |   |  |    |     | 595-603 (1996).  |   |                                   |   |  |  |  |
| AE 2 / Holm, et al., "X-ray Crystal Structure of the protease Inhibitor Domain of Al Amyloid β-Protein Precursor" Science 273: 595-603 (1996).  AF 2 / Ikura, et al., "Heteronuclear 3D NMR and Isotopic Labeling of Calmodulin" Pharmacol. 40: 153-60 (1990). |   |  |    |     |  |   |                                   |   |  |  |  |
|  |   |  |    |     |  |   | abeling                           | g of Calmodulin" Biochem.                                 |  |  |  |
| Ī  |   |  | AG | 2   | Ikura, et al., "An efficien  | at NMR approach for obtaining                           | ng seq                            | uence-specific resonance                                  |  |  |  |
| assignments of larger proteins based on multip 58 (1990).  |   |  |    |     |  |   |                                   |   |  |  |  |
| AH 2 Ikura, et al., "Macromolecular Binding Equilibria in the lac Rep Using High-Pressure Fluorescence Spectroscopy" Biochem. 29:  |   |  |    |     |  |   |                                   |   |  |  |  |
|  |   |  | ΑI | 2 / | Kumar, et al., "Algorithms for Constraint-Satisfaction Problems: A Survey" Artificial Intelligence Mag., Spring: 32-44 (1992).   |   |                                   |   |  |  |  |
|  |   |  | AJ | 2   | Laity, et al., "Structural Characterization of an Analog of the Major Rate-Determining Disulfide Folding Intermediate of Bovine Pancreatic Ribonuclease A" Biochem. 36: 12683-99 (1997). |   |                                   |   |  |  |  |
|  |   |  |    | 2   | Lyons, et al., "An Improved Strategy for Determining Resonance Assignments for   |   |                                   |   |  |  |  |
|  |   |  |    | _   | -  |   |                                   |   |  |  |  |
|  | AL 2 Madej, et al., "Metal Search: A Computer Program That Helps Design Tetrahedral Metal-Binding Sites" Proteins 23: 256-69 (1995).  AM 2 Meadows, "A computer-based protocal for semiautomated assignments and 3D struct determination of proteins" J. Biomol. NMR 4: 79-86 (1994). |  |    |     |  |   |                                   |   |  |  |  |
|  |   |  |    |     |  |   | . 1                               |   |  |  |  |
|  |   | AN Montelione, et al., "Imaging and Localized Spectroscopy of <sup>13</sup> C by Polarization Tran. J. Magn. Res. 83: 183-88 (1990). |    |     |  |   |                                   | f <sup>13</sup> C by Polarization Transfer"               |  |  |  |
|  | AO 2 Montelione, et al., "Sequence-specific <sup>1</sup> H-NMR assignments and identific small antiparallel β-sheets in the solution structure of recombinant human   |  |    |     |  |   |                                   |   |  |  |  |
| 1  |   |  |    |     | growth factor a" Proc. A   | latl. Acad. Sci (U.S.A) <b>86:</b> 15                   | <u>19-</u> 23                     | (1989).   |  |  |  |
|  | $\Delta$  | N  | AP | 2 / | Montelione, et al., "A Ge  | eneral Approach for Determins" Biopolymers 32: 327-34 ( | ning S                            | calar Coupling Constants in                               |  |  |  |
|  | EXAMINER DATE CONSIDERED /6/6/qe  |  |    |     |  |   | //                                |   |  |  |  |
|  | EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in  |  |    |     |  |   | w line through citation if not in |   |  |  |  |

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to Applicant.

|          | •  |          |  | ATTY. DOCKET NO. 06137.0021.US02   |        | APPLICATION NO. 09/181,601                      |  |  |
|----------|--|----------|--|--|--------|---|--|--|
| INFO     |  |          | PTO-1449<br>CLOSURE STATEMENT  | APPLICANT: Stephen Anderson, et al.  |        |   |  |  |
|          |  |          |  | FILING DATE: October 29, 19  | 98     | GROUP ART UNIT: 1643/655                        |  |  |
|          | OTHER (Including Author, Title, Date, Pertinent Pages, etc.) |          |  |  |        |   |  |  |
| M        | AA   | 4        | Yamazaki, et al., "Secon   | dary structure and signal ass -1 protease complexed to a n   | ignme  | nts of human-<br>structure-based inhibitor"Eur. |  |  |
|          | AB   | <b>4</b> | multidimensional HCC(C   | omated sequencing of amino CO)NH-TOCSY spectroscopntelligence" <i>J. Biomol. NMR</i>   | y and  |   |  |  |
|          | AC   | 4        |  | omated analysis of nuclear nuct. Bio. 5: 644-73 (1995).  | nagnet | ic resonance assignments for                    |  |  |
| N        | AD   | 4 /      |  | omated Analysis of Protein I ce" J. Mol. Bio. 269: 592-61  |        | Assignments Using Methods 97).                  |  |  |
|          | AE   | 4        | (PE JE   |  |        |   |  |  |
|          | AF   | 4        | JUL 0 1 1998   | 五<br>2<br>2  |        |   |  |  |
|          | AG   | 4        | The same of the sa |  |        |   |  |  |
|          | АН   | 4        | Wa Inn   |  |        |   |  |  |
|          | ΑI   | 4        |  |  |        |   |  |  |
|          | AJ   | 4        |  |  |        |   |  |  |
|          | AK   | 4        |  |  |        |   |  |  |
|          | AL   | 4        |  |  |        |   |  |  |
|          | AM   | 4        |  |  |        |   |  |  |
|          | AN   | 4        |  |  |        |   |  |  |
|          | AO   | 4        |  | · · · · · · · · · · · · · · · · · · ·  |        |   |  |  |
|          | AP   | 4        |  |  |        |   |  |  |
|          | AQ   | 4        |  |  |        |   |  |  |
|          | AR   | 4        |  | and the state of t |        | 200   |  |  |
|          | AS   | 4        |  | - 1  |        |   |  |  |
| EXAMINER |  | 4        | 11172  |  | DATE   | CONSIDERED /s/l lon                             |  |  |

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to Applicant.

|  | -   |                    |   | ATTY. DOCKET NO. 06137.0021.US02  | APPLICATION NO. 09/181,601  |  |  |
|--|---|--------------------|---|---|---|--|--|
|  | ·   | ·                  |   |   |   |  |  |
| INFO   |   |                    | TO-1449<br>LOSURE STATEMENT   | APPLICANT: Stephen Anderso  | on, et al. JUL 0 1 1999   |  |  |
|  |   |                    |   | FILING DATE: October 29, 199  | 98 GROWART UNITED 43/(5)  |  |  |
|  |   |                    | OTHER (Including a  | Author, Title, Date, Pertinent Pages, e   | etc.)   |  |  |
| AA 1 / Bagby, J. Biomol., "The   |   |                    |   | button test: A small scale me   | ethod using microdialysis cells for   |  |  |
| 1/6  |   |                    | assessing protein solubility at concentrations suitable for NMR" NMR 10: 279-82 (1997).  Billeter, et al., "Sequential Resonance Assignments in Protein <sup>1</sup> H Nuclear Magnetic |   |   |  |  |
| Billeter, et al., "Sequent Resonance Spectra" J. M.  |   |                    | Billeter, et al., "Sequenti<br>Resonance Spectra" J. M  | al Resonance Assignments in <i>Iol. Biol.</i> <b>155:</b> 321-46 (1982).            | n Protein 'H Nuclear Magnetic   |  |  |
|  | AC  | 1 /                | Billeter, et al., "A Progra   | am for Semi-automatic Seque   | ential Resonance Assignments in Magn. Resonance 76: 400-415                               |  |  |
| Bork, et al., "From genome sequences to protein functions 393-403 (1994).  |   |                    |   | ction" Curr. Opin. Struct. Bio. 4:  |   |  |  |
|  | AE  | 1 /                | Branden, et al. Introduct<br>Publishing, Inc., 1991).   |   | 11-31 and 43-57 (New York: Garland  |  |  |
|  | AF  | 1                  | Propose at al. "Accessing sequence comparison methods with reliable structurally  |   |   |  |  |
|  | AG 1 Chiang, et al., "Structural Studies on the Cysteine-Rich N-terminal Domain of the Alzheimer's Amyloid β Peptide Precursor Protein" Neurobiol. Aging, Supplement 17(4S): abstract 393 (1996). |                    |   |   | Neurobiol. Aging, Supplement  |  |  |
| AH 1 Clore, et al., "Multidimensional heteronuclear Nuclear Magnetic Resonance of Pro-<br>Methods Enzymol. 239: 349-63 (1994).   |   |                    |   |   |   |  |  |
| AI 1 Clore, et al., "Structures of Larger Proteins, protein-Ligand and Protein-DNA Comby Multi-Dimensional Heteronuclear NMR" Prog. Biophys. Mol. Bio. 62: 153-84  |   |                    |   |   | Ligand and Protein-DNA Complexes tophys. Mol. Bio. 62: 153-84 (1994).                     |  |  |
| AJ  Clore, et al., "Two-, Three-, and Four-Dimensional NMR Methods for Obtaining La and More Precise Three-Dimensional Structures of Proteins in Solution <sup>1</sup> " Ann. Rev. Biophys. Biophys. Chem. 20: 29-63 (1991). |   |                    |   |   |   |  |  |
| AK 1 Feng, et al., "Solution N Protein (CspA) from Esca  |   |                    |   | MR Structure and Backbone cherichia coli: Evidence for inding Site" Biochem. 37: 10 | Dynamics of the Major Cold-Shock conformational Dynamics in the 0881-96 (1998).           |  |  |
|  | AL  | 1 ,                | Friedrichs, et al., An aut  | omated procedure for the ass<br>ances" J. Biomol. NMR 4: 70                         | signment of protein <sup>1</sup> HN, <sup>15</sup> N, <sup>13</sup> C <sup>\alpha</sup> , |  |  |
|  | AM  | 1 /                | Gibrat, et al., "Surprisin<br>Structural Biology 6: 37  | g similarities in structure cor<br>7-85 (1996).                                     | mparison" Current Opinion in  |  |  |
| d  | AN  | 1 .                | 1995).  |   | Biophysics 19: 91-131 (Elsevier,  |  |  |
| N  | AO  | 1 /                | Gouzey, et al., "Graphical interface for ProDom domain families" Trends Biochem. Sci., 21: 493 (1994).  |   |   |  |  |
| EXAMINER   | 1   | MC                 |   |   | DATE CONSIDERED /6/6/ SE  |  |  |
| EXAMINER: conformance  | Initial if  | referen<br>conside | ce considered, whether or not ci<br>red. Include copy of this form w  | tation is in conformance with MPEP (<br>rith next communication to Applican         | 609. Draw line through citation if not in nt.   |  |  |

| •   |  |   |  | ATTY. DOCKET NO. 06137.0021.US02  | APPLICATION NO. 09/181,601  |  |
|---|--|---|--|---|---|--|
| <u>IN</u>   | FORM PTO-1449<br>INFORMATION DISCLOSURE STATEMENT                      |   |  | APPLICANT: Stephen Anderson, et al.   |   |  |
|   |  |   |  | FILING DATE: October 29, 1998   | GROUP ART UNIT: 1643/655  |  |
|   |  |   | OTHER (Including   | Author, Title, Date, Pertinent Pages, etc.)   |   |  |
| E   | AA   | 3   | by NMR Spectroscopy a Biochemistry 31: 236-49  | ntion Structure of Murine Epidern<br>and Refined by Energy Minimizat<br>9 (1992).   | cion with Restraints"   |  |
| r 0 1 1995  | AB   | 3   | Mumenthaler, et al., "Automated Assignment of Simulated and Experimental NOESY Spectra of Proteins by Feedback Filtering and Self-correcting Distance Geometry" J. Mol. Bio. 254: 465-480 (1995).              |   |   |  |
| Nilges, "Calculation of Protein Structures with Ambiguous Distance Res<br>Automated Assignment of Ambigous NOE Crosspeaks and Disulphide C<br>Mol. Biol. 245: 645-60 (1995).  |  |   |  | nd Disulphide Connectivities" J.  |   |  |
| Olsen, et al., "Evaluation of an algorithm for the automated sequential assignment of protein backbone resonances: A demonstration of the connectivity tracing assignment tools (CONTRAST) software package" J. Biomol. NMR 4: 385-410 (1994).  |  |   |  |   |   |  |
| AE 3 / Orengo, "CATH – a hierarchic classification of protein dome 1093-1108 (1997).  |  |   |  |   |   |  |
| AF 3 / Patthy, et al., "Introns and Exons" Curr. Opin. Struc. Biol. 4: 383-92 (1  |  |   |  | ol. <b>4:</b> 383-92 (1994).  |   |  |
|   | AG   | 3 /   | Rios, et al., "Phase labeling of C-H and C-C spin-system topologies: Application i constant-time PFG-CBCA(CO)NH experiments for discriminating amino acid spin system types" J. Biomol. NMR 8: 345-350 (1996). |   |   |  |
|   | АН   | Sandbrink, et al., "Alternative Splicing Generates Functionally Related isoform NY Acad. Sci. 777: 281-87 (1996). |  |   |   |  |
| Shang, et al., "Sensitivity Enhancement of Triple-Resonance Protein Proton Evolution of Multiple-Quantum Coherences using a Simultane Constant-Time Evolution Period" J. Amer. Chem. Soc. 119: 9274-78  |  |   |  | g a Simultaneous 'H and 'C  |   |  |
|   | AJ 3 Shimotakahara, et al., in the Rate-Determini Pancreatic Ribonucle |   |  | NMR Structural Analysis of an Ag Step of One Pathway in the Oxi e A: Automated Analysis of <sup>1</sup> H, Type and [C65S, C72S] Mutant F | that in the state of the state |  |
| Swapana, et al., "Application of multiple-quantum line narrowing with simuland <sup>13</sup> C constant-time scalar-coupling evolution in PFG-HACANH and PFG-HACA(CO)NH triple-resonance experiments" J. Biomol. NMR 9: 105-111 (  AL 3 / Tashiro, et al., "High-resolution Solution NMR Structure of the Z Domain of Staphylococcal Protein A" J. Mol. Biol. 272: 573-90 (1997). |  |   |  | calar-coupling evolution in PFG-  | HACANH and PFG-   |  |
|   |  |   |  | e of the Z Domain of  |   |  |
|   | AM   | 3 √   | Wuthrich, "Protein Stra<br>Spectroscopy" Science   | acture Determination in Solution  | by Nuclear Magnetic Resonance   |  |
|   | AN   | <u>3</u> ,  | Wuthrich, "NMR - Th  | is Other Method for Protein and Naryst. Section D. 51: 249-70 (1995)  |   |  |
| 71  | AO   | 3 ./  | Yashikai, et al., "Geno gene" Gene 87: 257-63  | mic organization of the human an  | nyloid beta-protein precursor   |  |
| EXAMIN  | IER  |   | MN   |   | TE CONSIDERED W//Le   |  |

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to Applicant.